


PRODUCT CATALOG

This catalog provides an overview of our extensive range of high-quality equipment, categorized by industry and application. We are committed to offering innovative solutions that empower businesses across the region to achieve their goals.

INTRODUCING

About Our Company

At Arab Titans Trading Establishment, we are committed to providing our clients with the highest quality equipment and supplies to meet their diverse needs.





Building a Brighter Future

Innovating continuously with new technologies keeps them ahead of the curve. Expanding into new markets and diversifying their product portfolio opens doors to wider success. Prioritizing customer satisfaction builds strong relationships and fosters loyalty. Attracting and retaining top talent fuels growth with expertise and dedication. And implementing sustainable practices ensures long-term viability for future generations. By embracing these key areas, Arab Titans can guarantee a bright and prosperous future.



Trading and Contracting

From oilfields to hospitals, we supply essential equipment across industries, building a brighter future for businesses and communities.



Fabrication & Services

From raw materials to finished products, we offer fabrication expertise and comprehensive services, ensuring your vision becomes reality.



We empower businesses across the region and beyond with a comprehensive suite of products and services.

Products & Services We Provide

Arab Titans provides a 360° solution for your business needs. We offer a wide range of equipment, facilitate global trade, provide expert business consulting, and deliver custom fabrication services. Our commitment to after-sales support ensures your long-term success. Partner with Arab Titans and reach new heights!

O1 Industrial Equipment and Machinery

O2 Logistics and Fabrication Services



of Contents

O	1	PIPES
	_	

02 STEEL FITTINGS

1 FORGED FITTINGS

CAST STAINLESS STEEL FITTINGS

MALLEABLE FITTINGS

GROOVED FITTINGS

07 PLATES

108 FLOW CONTROL & REGULATION

09 CONSTRUCTION EQUIPMENTS

10 SAFETY EQUIPMENTS

FRP / GASKETS / FASTENERS

12 INDUSTRIAL MACHINERY

13 OTHER PRODUCTS

14 FABRICATION

21725



ERW / HFW PIPE

Size: 1" - 24" **WT:** 4mm - 20mm **Length:** 5Mtr - 12 Mtr

Standard: API 5L, PSL1/PSL2, ASTM A53, ASTM A36, ASTM A500, ASTM 252 EN10219/EN10210/EN10217, GB/T 3091, JIS G3454, AS1163, ASTM A135, ASTM A795 BS534, GOST 10704, GOST 20295, EN10255

Steel Grade: Gr.B/L245, X42-X56, S275/S275J0H, S355J0H, S355J2H, STPG370, GR.1/2/3, SS400, SS490, Q235B/Q355B

SSAW / SAWH PIPE

Size: 12" - 56" **WT:** 9.53mm - 50mm **Length:** 6Mtr - 12 Mtr

Standard: API 5L, PSL1/PSL2, ASTM A36, ASTM A500, ASTM 252 EN10219, GB/T 3091, BS534, EN10255, DIN2460, BS534, ASTM

A134, ASTM A671/672, ISO 3183

Steel Grade: API 5L GRB/X42/X52/X56/X60/X65/X70 ASTM A36, ASTM A500, ASTM A252 GR.1/GR.2/GR.3, EN10219/EN 10210

S275/S355/S460 GB/T 3091 Q235B,Q355B



LSAW / SAWL PIPE

Size: 12" - 56"

WT: 9.53mm - 50mm **Length:** 6Mtr - 12 Mtr

Standard: API 5L PSL1/PSL2, ASTM A36, ASTM A500, ASTM A252, EN10219, GB/T 3091 EN10255 DIN2460 BS534 ASTM A134 ASTM

A671/672 ISO 3183

Steel Grade: API 5L GRB/X42/X52/X56/X60/X65/X70, ASTM A36, ASTM A500, ASTM A252 GR.1/GR.2/GR.3, EN10219/EN 10210

S275/S355/S460 GB/T 3091 Q235B, Q355B



CARBON STEEL SEAMLESS PIPE

Size: 1/4" - 26" **WT:** 2mm - 60mm **Length:** 6Mtr - 12 Mtr

Standard: API 5L, PSL1/ PSL2, API 5CT GB/T 8163, ASTM A53, ASTM

A106, ISO 3183, GB/T 9711

Steel Grade: 20#, GR.A, GR.B, L245 X42, X46, X52, X56, X60, X65,

X70Q345A, Q345B, Q345C, Q345D, Q345E



STAINLESS SEAMLESS PIPE

Size: OD 6mm - 630mm **WT:** 0.5mm - 30mm

Standard: ASTM A312, S312M, ASTM A213\213M DIN17740, JISG

3463, JISG 3448

Grade: 304, 304L, 316, 316L, 321, F321, 310S, 317L, 309, 347, 2205

21725



ROUND STAINLESS WELDED PIPE

Size: OD 12.7mm - 711mm

WT: 1mm - 10mm

Standard: ASTM A312, S213/213M, DIN17740, JISG 3463,

JISG 3448

Grade: 304, 304L, 316, 316L, 321, F321, 310S, 317L, 309,

347, 2205

SQUARE STAINLESS WELDED PIPE

Size: 15*15 - 250*250mm

WT: 1mm - 10mm

Standard: ASTM A312, S213/213M, DIN17740, JISG 3463,

JISG 3448

Grade: 304, 304L, 316, 316L, 321, F321, 310S, 317L, 309,

347, 2205





RECTANGLE STAINLESS WELDED PIPE

Size: 20*40 - 200*300mm

WT: 1mm - 10mm

Standard: ASTM A312, S213/213M, DIN17740, JISG 3463,

JISG 3448

Grade: 304, 304L, 316, 316L, 321, F321, 310S, 317L, 309, 347, 2205





90 DEG ELBOW

Size: 1/2" - 48"

Thickness: SCH 5s - SCH XXS Design Standard: ASME B16.9

Grade: CS & SS



REDUCER

Size: 1/2" - 48"

Thickness: SCH 5s - SCH XXS **Design Standard:** ASME B16.9

Grade: CS & SS



45 DEG ELBOW

Size: 1/2" - 48"

Thickness: SCH 5s - SCH XXS Design Standard: ASME B16.9

Grade: CS & SS



CAP

Size: 1/2" - 48"

Thickness: SCH 5s - SCH XXS **Design Standard:** ASME B16.9

Grade: CS & SS



180 DEG ELBOW

Size: 1/2" - 48"

Thickness: SCH 5s - SCH XXS Design Standard: ASME B16.9

Grade: CS & SS



STUB END

Size: 1/2" - 48"

Thickness: SCH 5s - SCH XXS Design Standard: ASME B16.9

Grade: CS & SS



TEE

Size: 1/2" - 48"

Thickness: SCH 5s - SCH XXS

Design Standard: ASME B16.9

Grade: CS & SS



CROSS

Size: 1/2" - 48"

Thickness: SCH 5s - SCH XXS Design Standard: ASME B16.9

Grade: CS & SS



WELDNECK FLANGE

Size: 1/2" - 48"

Class: 150LB - 2500LB / 5K - 40K / PN2.5 - PN 400

Design Standard: ASME / DIN / EN / JIS

Grade: CS, SS & ALLOY STEEL





SLIP-ON FLANGE

Size: 1/2" - 48"

Class: 150LB - 2500LB / 5K - 40K / PN2.5 - PN 400

Design Standard: ASME / DIN / EN / JIS

Grade: CS, SS & ALLOY STEEL



BLIND FLANGE

Size: 1/2" - 48"

Class: 150LB - 2500LB / 5K - 40K / PN2.5 - PN 400

Design Standard: ASME / DIN / EN / JIS

Grade: CS, SS & ALLOY STEEL



SOCKETWELD FLANGE

Size: 1/2" - 48"

Class: 150LB - 2500LB / 5K - 40K / PN2.5 - PN 400

Design Standard: ASME / DIN / EN / JIS

Grade: CS, SS & ALLOY STEEL



THREADED FLANGE

Size: 1/2" - 48"

Class: 150LB - 2500LB / 5K - 40K / PN2.5 - PN 400

Design Standard: ASME / DIN / EN / JIS

Grade: CS, SS & ALLOY STEEL



LAP JOINT FLANGE

Size: 1/2" - 48"

Class: 150LB - 2500LB / 5K - 40K / PN2.5 - PN 400

Design Standard: ASME / DIN / EN / JIS

Grade: CS, SS & ALLOY STEEL



90 DEG ELBOW

Size: 1/8" - 4"

Thickness: 2000LBS, 3000LBS, 6000LBS, 9000LBS

Type: Socketweld / Threaded

Standard: ASME B16.11, CARBON STEEL, STAINLESS STEEL,

ALLOY STEEL

45 DEG ELBOW

Size: 1/8" - 4"

Thickness: 2000LBS, 3000LBS, 6000LBS, 9000LBS

Type: Socketweld / Threaded

Standard: ASME B16.11, CARBON STEEL, STAINLESS STEEL,

ALLOY STEEL





TEE

Size: 1/8" - 4"

Thickness: 2000LBS, 3000LBS, 6000LBS, 9000LBS

Type: Socketweld / Threaded

Standard: ASME B16.11, CARBON STEEL, STAINLESS STEEL,

ALLOY STEEL

SWAGE NIPPLE

Size: 1/8" - 4"

Thickness: SCH40, SCH80, SCH160, STD, XS, XXS

Type: Threaded / PE / BE

Standard: MSS SP-95, CARBON STEEL, STAINLESS STEEL,







HEX NIPPLE

Size: 1/8" - 4"

Thickness: 3000LBS, 6000LBS

Type: Threaded

Standard: BS3799, CARBON STEEL, STAINLESS STEEL, ALLOY

STEEL

PIPE NIPPLE

Size: 1/8" - 4"

Thickness: SCH40, SCH80, SCH160, STD, XS, XXS

Type: Threaded / PE / BE

Standard: ASME B16.11, CARBON STEEL, STAINLESS STEEL,

ALLOY STEEL



FORGED OUTLET

Size: 1/8" - 4"

Thickness: 3000LBS, 6000LBS, 9000LBS **Type:** Socketweld / Threaded / Buttweld

Standard: MSS SP-97, CARBON STEEL, STAINLESS STEEL,

ALLOY STEEL

UNION

Size: 1/8" - 4"

Thickness: 3000LBS, 6000LBS, 9000LBS

Type: Socketweld / Threaded

Standard: MSS SP-83, CARBON STEEL, STAINLESS STEEL,





BUSHING

Size: 1/8" - 4"

Thickness: 3000LBS, 6000LBS

Type: Threaded

Standard: ASME B16.11, CARBON STEEL, STAINLESS STEEL,

ALLOY STEEL



Size: 1/8" - 4"

Thickness: 3000LBS, 6000LBS

Type: Threaded

Standard: ASME B16.11, CARBON STEEL, STAINLESS STEEL,

ALLOY STEEL





SQUARE HEAD PLUG

Size: 1/8" - 4"

Thickness: 3000LBS, 6000LBS

Type: Threaded

Standard: ASME B16.11, CARBON STEEL, STAINLESS STEEL,

ALLOY STEEL

BOSS

Size: 1/8" - 4"

Thickness: 3000LBS, 6000LBS, 9000LBS

Type: Socketweld / Threaded

Standard: ASME B16.11, CARBON STEEL, STAINLESS STEEL,







Size: 1/8" - 4"

Thickness: 3000LBS, 6000LBS, 9000LBS

Type: Socketweld / Threaded

Standard: ASME B16.11, CARBON STEEL, STAINLESS STEEL,

ALLOY STEEL



Size: 1/8" - 4"

Thickness: 3000LBS, 6000LBS, 9000LBS

Type: Socketweld / Threaded

Standard: ASME B16.11, CARBON STEEL, STAINLESS STEEL,

ALLOY STEEL





HALF COUPLING

Size: 1/8" - 4"

Thickness: 3000LBS, 6000LBS, 9000LBS

Type: Socketweld / Threaded

Standard: ASME B16.11, CARBON STEEL, STAINLESS STEEL,

ALLOY STEEL

REDUCER INSERTS

Size: 1/8" - 4"

Thickness: 3000LBS, 6000LBS

Type: Socketweld

Standard: MSS SP-79, CARBON STEEL, STAINLESS STEEL,



EAST STAINLESS STEEL FITTINGS



90 DEG ELBOW THREAD NPT

Size: 1/8" - 4"

Pressure Rate: 150LB

Standard: ASTM A351-CF8M / 1.4408, ASTM A351-CF8 / 1.4401

Body Material: AISI 304, 304L, 316, 316L, 301, 430...

TEE THREAD NPT

Size: 1/8" - 4"

Pressure Rate: 150LB

Standard: ASTM A351-CF8M / 1.4408, ASTM A351-CF8 / 1.4401

Body Material: AISI 304, 304L, 316, 316L, 301, 430...



REDUCING

Size: 1/8" - 4"

Pressure Rate: 150LB

Standard: ASTM A351-CF8M / 1.4408, ASTM A351-CF8 / 1.4401

Body Material: AISI 304, 304L, 316, 316L, 301, 430...



Size: 1/8" - 4"

Pressure Rate: 150LB

Standard: ASTM A351-CF8M / 1.4408, ASTM A351-CF8 / 1.4401

Body Material: AISI 304, 304L, 316, 316L, 301, 430...



UNION INNER SCREW

Size: 1/8" - 4"

Pressure Rate: 150LB

Standard: ASTM A351-CF8M / 1.4408, ASTM A351-CF8 / 1.4401

Body Material: AISI 304, 304L, 316, 316L, 301, 430...

EAST STAINLESS STEEL FITTINGS



ROUND CAP

Size: 1/8" - 4"

Pressure Rate: 150LB

Standard: ASTM A351-CF8M / 1.4408, ASTM A351-CF8 / 1.4401

Body Material: AISI 304, 304L, 316, 316L, 301, 430...

UNION CONICAL F/F

Size: 1/8" - 4"

Pressure Rate: 150LB

Standard: ASTM A351-CF8M / 1.4408, ASTM A351-CF8 / 1.4401

Body Material: AISI 304, 304L, 316, 316L, 301, 430...



UNION CONICAL MM

Size: 1/8" - 4"

Pressure Rate: 150LB

Standard: ASTM A351-CF8M / 1.4408, ASTM A351-CF8 / 1.4401

Body Material: AISI 304, 304L, 316, 316L, 301, 430...

HEX NIPPLE

Size: 1/8" - 4"

Pressure Rate: 150LB

Standard: ASTM A351-CF8M / 1.4408, ASTM A351-CF8 / 1.4401

Body Material: AISI 304, 304L, 316, 316L, 301, 430...





REDUCING HEX NIPPLE

Size: 1/8" - 4"

Pressure Rate: 150LB

Standard: ASTM A351-CF8M / 1.4408, ASTM A351-CF8 / 1.4401

Body Material: AISI 304, 304L, 316, 316L, 301, 430...

EAST STAINLESS STEEL FITTINGS



SOCKET MACHINED

Size: 1/8" - 4"

Pressure Rate: 150LB

Standard: ASTM A351-CF8M / 1.4408, ASTM A351-CF8 / 1.4401

Body Material: AISI 304, 304L, 316, 316L, 301, 430...

HOSE NIPPLE


Size: 1/8" - 4"

Pressure Rate: 150LB

Standard: ASTM A351-CF8M / 1.4408, ASTM A351-CF8 / 1.4401

Body Material: AISI 304, 304L, 316, 316L, 301, 430...





MALLEABLE FITTINGS



90 DEG ELBOW

Size: 1/8" - 6"

Thread Standard: ISO7/1, ANSI B1.20.1

Standard: ASME B16.3 / ASME B16.4 / ASME B16.39 / BS EN

10242



Size: 1/8" - 6"

Thread Standard: ISO7/1, ANSI B1.20.1

Standard: ASME B16.3 / ASME B16.4 / ASME B16.39 / BS EN

10242





REDUCER

Size: 1/8" - 6"

Thread Standard: ISO7/1, ANSI B1.20.1

Standard: ASME B16.3 / ASME B16.4 / ASME B16.39 / BS EN

10242

CROSS

Size: 1/8" - 6"

Thread Standard: ISO7/1, ANSI B1.20.1

Standard: ASME B16.3 / ASME B16.4 / ASME B16.39 / BS EN

10242





SOCKET

Size: 1/8" - 6"

Thread Standard: ISO7/1, ANSI B1.20.1

Standard: ASME B16.3 / ASME B16.4 / ASME B16.39 / BS EN

10242

GROOVED FITTINGS



TEE

Size: 1" - 12"

Design Standard: ASTM A536, GR. 65-45-12 C-E



CROSS

Size: 1" - 12"

Design Standard: ASTM A536, GR. 65-45-12 C-E



90 DEG ELBOW

Size: 1" - 12"

Design Standard: ASTM A536, GR. 65-45-12 C-E



45 DEG ELBOW

Size: 1" - 12"

Design Standard: ASTM A536, GR. 65-45-12 C-E



HINGED FLANGE ADAPTOR

Size: 2" - 8"

Design Standard: ASTM A536, GR. 65-45-12 C-E

GROOVED FITTINGS



ADAPTOR ELBOW

Size: 1 1/4" - 2 1/2"

Model: Grooved, Thread, NPT & BSP

Design Standard: ASTM A536, GR. 65-45-12 C-E



CON. REDUCING

Size: 1" - 12"

Design Standard: ASTM A536, GR. 65-45-12 C-E



FLANGE ADAPTOR

Size: 2" - 12"

Design Standard: ASTM A536, GR. 65-45-12 C-E



REDUCING TEE

Size: 2*1" - 5*4"

Design Standard: ASTM A536, GR. 65-45-12 C-E



HINGED FLANGE ADAPTOR

Size: 2" - 8"

Design Standard: ASTM A536, GR. 65-45-12 C-E







PLATE FOR BOILERS & PRESSURE VESSELS

Thickness: 2mm - 200mm Width: 30mm - 4000mm Length: 1000mm - 2000mm


Standard	Material	
G8713-97	20G 16MnG 15CrMoG 19MnG 13MnNiCrMoNbG	
GB6654-96	15MnNbR 15MnVNR Q245R Q345R Q370R	
GB3531	16MnDR 09MnNiDR 15MnNiDR 12MnNiVR 14Cr1MoR	
JIS G3103	SB410 SB450 SB480	
JIS G3115	SPV235 SPV355 SPV420 SPV450 SPV490	
SIS G3118	SGV410 SGV450 SGV480	
EN10028-2	P235GH P355GH P295GH 16Mo3	
ASTM/ASME	A515 GR55/60/65/70 A516 GR 55/60/65/70 A204 GR B/C	
	A517 GR.B A573 GR 70 A302M	



HIGH STRENGTH STEEL PLATE

Thickness: 1.5mm-200mm Width: 30mm-4000mm Length: 1000mm-12000mm

Standard	Material	
GB/T1591-2017	Q355(ABCD) Q390(BCDE) Q420(BCDE) Q460 (BCDE)	
G/BT 16270	Q500(C D E) Q550(C D E) Q690(D E)	
JIS G3106	SM490(A B C) SM490YA SM520 SM570	
ASTM	A572 GR(42 50 55 60 65) A633(A B C D E)	
EN	S355(JR JO J2 KA G2 G3 NL) S420NL S460NL S550NL	



ABRASION RESISTANT STEE PLATE

Thickness: 3mm-80mm Width: 30mm-4000mm Length: 1000mm-12000mm


Standard	Material	
GB/T24166-2009	NM360 NM450 NM500	
	HAROX400 HAROX450 HAROX500 HAROX600	
	XAR400 XAR450 XAR 500	
	FORA400 FORA500	
	JFE-EH360 400 500	



COR-TEN STEEL PLATE

Thickness: 0.6mm-100mm Width: 30mm-4000mm Length: 1000mm-12000mm

Standard	Material	
EN10025	S235JOW S235 J2W S355JOW S355J2W S355K2W	
	COR-TEN A/B	
ASTM	A588GR A/B/C/K	
	A606M A871M GR.60 A709 GR50W A242 TYPE1	
GB/T4171-2008	Q355GHN Q345GNHL(09CuPCrNiA)	
TB/T 1979-2014	Q450NQR1	
JIS G3125	SPA-H	



SHIPBUILDING STEEL PLATES

Thickness: 3mm-100mm Width: 1500mm-4000mm Length: 5000mm-12000mm

Classification society	Grade
LR/ABS/NK/GL/DNV.BV/KR/RINA/	A/B/D AH32 AH36 DH32 DH36
CCS	EH32 EH36 AH40 DH40 EH40





Thickness: 3mm-100mm Width: 1500mm-4000mm Length: 5000mm-12000mm

GRADE	MATERIALS	THICKNESS	SURFACE
AUSTENITIC	304/304H/304L/304J1	0.25 - 40mm	2B/BA/NO.4/8K/SB/HL/NO.1
	321	0.4 - 40mm	2B/BA/NO.4/8K/SB/HL/NO.1
	316/316L/317/316T1	0.3 - 40mm	2B/BA/NO.4/8K/SB/HL/NO.1
FERRITE	430	0.4 - 30mm	2B/BA/NO.4/8K/SB/HL
ULTRA PURE FERRITE	443	0.4 - 2.0mm	2B
	436L/439/444/441	0.5 - 3.0mm	2B/2D
	409L	0.4 - 2.5mm	2B/2D
SUPER DUPLEX	2101	1.5 - 2.5mm	1D/NO.1/2B/2E
	2304	3.0 - 30mm	1D/NO.1/2B/2E
	2205	0.8 - 40mm	1D/NO.1/2B/2E
	2507	1.0 - 40mm	1D/NO.1/2B/2E

FLOW CONTROL & REGULATION





MANUAL VALVES

Valves are a vital part of any piping system, which means that they play a key role control the flow in the oil, gas and petrochemical plant. We have been in contact with many valve manufacturers during the years of activities for many different types of applications, considering type of the valve, related manufacturing technology, materials and other specification. Arab Titans can supply you and your project valve a complete list of your inquiry with almost no technical deviation from manufacturer or available stock.



Manual Valves Types that we are suppling:

- Ball valve
- Gate valve
- Globe valve
- Butterfly valve
- Plug valve
- Needle valve
- Diaphragm or Membrane valve
- Knife valve
- Pinch valve
- Piston valve
- Solenoid valve
- Spool Valve

We are focused on valve industry in both direction of production and stockiest. We have the experience to provide a quotation by mixing of available stock and refer to production, considering your:

- Budgets
- Delivery time
- Technical requirements
- AVL (approved vendor list)

FLOW CONTROL & REGULATION





CONTROL VALVES

Considering that in general Control valves can be classified into two main types, based on the stem movement: Sliding and Rotary, and Apart from our experiences with manual valve, through dealing with control valves we have made stablished contacts with well-known actuators manufacturers. The majority of control valve manufacturers normally manufacturer the pneumatic actuators themselves and outsource the electrical actuator. We can supply your projects and inquires of different type of control valves by referring to the right manufacturers in order to meet your technical / commercial demands.



Control Valves Types that we are suppling:

Sliding Stem

Globe valve Angle body valve Angle seat piston valve

Rotary

Butterfly valve Ball valve

Other

Pinch valve Diaphragm valve

CONSTRUCTION EQUIPMENT

PLATE COMPACTOR



REVERSIBLE COMPACTOR



CONCRETE CUTTER



TAMPING RAMMER



VIBRATION ROLLER



CONCRETE VIBRATOR



CONSTRUCTION EQUIPMENT

PORTABLE GENERATOR



DIESEL GENERATOR



BAR BENDING MACHINE




PORTABLE AIR COMPRESSOR



ELECTRIC MOTOR



SCAFFOLDINGS



SAFETY EQUIPMENTS







SAFETY SHOES

DAMAGE CONTROL KIT

SURVIVAL RADIO







FORM LIFE JACKET

FIRE BLANKET

FIRE HOSE BOX







FIRE HOSE

EAR PROTECTION

LIFEBUOY LINE











FRP PRODUCTS RE-BARS FASTENERS







PTFE PRODUCTS RINGS CIRCLE





HYDRAULIC PRESS



HYDRAULIC SHEET BENDING MACHINE



SEMI-AUTO DRILL MACHINE



FLOWMETER



CNC MACHINE



MILLING MACHINE



MULTI CUTTER MACHINE



POWER GENERATOR









COTTON WASTE

WD-40

DIAPHRAGM PUMP







FIRE HOSE COUPLING

FIRE HOSE VALVE

SAFETY HELMET















STRAINER FILTER

INDUSTRIAL STORAGE TANK

AIR RECEIVER TANK





CONICAL STRAINER

HVAC DUCTS

NOTE:

- WE CAN ALSO MANUFACTURE AND FABRICATE THE PRODUCTS ACCORDING TO CLIENT MODEL, DESIGN, DIMENSION & REQUIREMENT.
- WE ARE INCREASING OUR PRODUCT RANGE DAY BY DAY AS PER INDUSTRIES DEMAND.



APPROVALS



Vendor ID: 10113389



Vendor ID: 102993



Vendor ID: 00183812

Supply Region

We are committed to providing our customers with world-class equipment solutions, no matter where they are located. With a global network of distributors and partners, we are able to supply our full range of products and services to businesses and organizations in every corner of the world.